

Date of revision : 2025/04/03

## Safety Data Sheet

### Section 1. Identification of the substance/mixture and of the company/undertaking

#### Product identifier:

Product name: Super Check Developer UD-T Aerosol 450 Type

Product code (SDS NO): CD12017\_E1-8

Relevant identified uses of the product: Non Destructive Testing

#### Details of the supplier of the safety data sheet

Manufacturer/Supplier: MARKTEC CORPORATION

Address: 17-35, OMORI-NISHI, 4-Chome, OTA-Ku, TOKYO 143-0015 JAPAN

Telephone number: +81-3-3762-4453

FAX: +81-3-3768-3958

### Section 2. Hazards identification

#### GHS classification and label elements of the product

#### Classification of the substance or mixture

##### PHYSICAL AND CHEMICAL HAZARDS

Aerosols: Category 1

##### HEALTH HAZARDS

Reproductive toxicity: Category 1B

##### ENVIRONMENT HAZARDS

Hazardous to the aquatic environment, short-term (acute): Category 2

Hazardous to the aquatic environment, long-term (chronic): Category 2

#### Label elements



Signal word: Danger

#### HAZARD STATEMENT

Extremely flammable aerosol

Pressurized container: may burst if heated

May damage fertility or the unborn child

Toxic to aquatic life

Toxic to aquatic life with long lasting effects

#### PRECAUTIONARY STATEMENT

##### Prevention

Avoid release to the environment.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not spray on an open flame or other ignition source.

Keep container tightly closed.

Do not pierce or burn, even after use.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Use personal protective equipment as required.

Wear protective gloves/protective clothing/eye protection/face protection.

Do not eat, drink or smoke when using this product.

##### Response

Collect spillage.

Get medical advice/attention if you feel unwell.

IF exposed or concerned: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water.

Wash contaminated clothing before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### Storage

Store in a well-ventilated place. Keep container tightly closed. Keep cool.

Protect from sunlight. Do not expose to temperatures exceeding 40°C.

#### Disposal

Dispose of contents/container in accordance with local/national regulation.

#### Specific Physical and Chemical hazards

Contain flammable gas under pressure. Risk of explosion by heating or shock.

Contain flammable gas. Gas/air mixture may explode.

### Section 3. Composition/information on ingredients

#### Mixture/Substance selection:

##### Mixture

<b>Ingredient name</b>	<b>Content (%)</b>	<b>CAS No.</b>
Ethyl alcohol	35 – 45	64-17-5
Propellant Gas : Butane	20 – 30	106-97-8
Propellant Gas : Propane	10 – 20	74-98-6
Heptane	8.9	142-82-5
Inorganic powder A	1 – 5	Registered
Inorganic powder B	1 – 5	Registered
1-Methyl-2-pyrrolidinone	< 1	872-50-4

Note : The figures shown above are not the specifications of the product.

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

### Section 4. First-aid measures

#### Descriptions of first-aid measures

##### General measures

Get medical advice/attention if you feel unwell.

IF exposed or concerned: Get medical advice/attention.

##### IF INHALED

Remove person to fresh air and keep comfortable for breathing.

IF INHALED: Call a POISON CENTER/doctor/physician if you feel unwell.

##### IF ON SKIN (or hair)

Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

##### IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Do not let the victim rub his eyes.

If eye irritation persists: Get medical advice/attention.

##### IF SWALLOWED

Rinse mouth. Do NOT induce vomiting.

Immediately call a POISON CENTER/doctor/physician.

## Section 5. Fire-fighting measures

### Extinguishing media

#### Suitable extinguishing media

In case of fire, use foam, alcohol-resistant foam, dry powder, CO2 to extinguish.

#### Unsuitable extinguishing media

Unsuitable extinguishing media data is not available.

## Section 6. Accidental release measures

### Personnel precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

Be careful not to slip on spilled area.

Eliminate all sources of ignition and ventilate the area.

### Environmental precautions

Prevent spills from entering sewers, watercourses or low areas.

### Methods and materials for containment and cleaning up

Sweep up, place in a bag and hold for waste disposal.

Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.

### Preventive measures for secondary accident

Collect spillage.

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

Prevent entry into waterways, sewers, basements or confined areas.

## Section 7. Handling and storage

### Precautions for safe handling

#### Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not spray on an open flame or other ignition source.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

Vapors may cause dizziness or suffocation.

#### Safety Measures

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Use personal protective equipment as required.

Do not pierce or burn, even after use.

Any incompatibilities data is not available.

#### Advice on general occupational hygiene

Wash hands thoroughly after handling.

### Storage

#### Conditions for safe storage

Store in a well-ventilated place. Keep container tightly closed. Keep cool.

Do not place in a place where rust is likely to occur.

(Incompatible storage condition)

Protect from sunlight. Do not expose to temperatures exceeding 40°C.

Container and packaging materials for safe handling data is not available.

## Section 8. Exposure controls/personal protection

### Control parameters

Adopted value

ACGIH

(Ethyl alcohol)

STEL: 1000ppm (URT irr)

(Propellant Gas: Butane)

STEL: 1000ppm(EX) (CNS impair)

(Propellant Gas: Propane)

See Appendix F: Minimal Oxygen Content(D, EX) (Asphyxia)

(Heptane)

TWA: 200ppm; 400ppm (URT irr; lung dam; CNS impair; ototoxicity)

Notation

(Heptane)

OTO

### Exposure controls

Appropriate engineering controls

Do not use in areas without adequate ventilation.

Individual protection measures

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Hand protection

Wear protective gloves.

Eye protection

Wear eye/face protection.

Skin and body protection

Wear protective clothing.

## Section 9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state: Liquid

Color: White

Odor: Alcoholic odor

Melting point/Freezing point data is not available.

Boiling point or initial boiling point: 78°C

Flammability (gases, liquids and solids) data is not available.

Lower and upper explosion limit/flammability limit data is not available.

Flash point: -4°C

Auto-ignition temperature: 204°C

Decomposition temperature data is not available.

pH data is not available.

Kinematic viscosity: Kinematic viscosity  $\leq 20.5$  mm<sup>2</sup>/s

Solubility:

Solubility in water: Soluble

n-Octanol/water partition coefficient data is not available.

Vapor pressure data is not available.

Density and/or relative density: 0.81g/cm<sup>3</sup>(15°C)  
Relative vapor density (Air=1) data is not available.  
Particle characteristics data is not available.

## Section 10. Stability and Reactivity

### Reactivity

Reactivity data is not available.

### Chemical stability

Stable under normal storage/handling conditions.

### Possibility of hazardous reactions

Vapors may catch fire and explode.

### Conditions to avoid

Conditions to avoid data is not available.

### Incompatible materials

Strong acids, Strong bases, Strong oxidizing agents

### Hazardous decomposition products

Carbon oxides

## Section 11. Toxicological Information

### Information on toxicological effects

Acute toxicity data is not available.

### Irritant properties

#### Skin corrosion/irritation

[Data for components of the product]

[Table 3 of Annex VI to the CLP Regulations]

(Heptane)

Category 2

(1-Methyl-2-pyrrolidinone)

Category 2

#### Serious eye damage/irritation

[Data for components of the product]

[Table 3 of Annex VI to the CLP Regulations]

(1-Methyl-2-pyrrolidinone)

Category 2

Allergenic and sensitizing effects data is not available.

Mutagenic effects data is not available.

### Carcinogenicity

[Data for components of the product]

[IARC]

(Ethyl alcohol)

Group 1 : Carcinogenic to humans

[ACGIH]

(Ethyl alcohol)

A3: Confirmed Animal Carcinogen with Unknown Relevance to Humans

### Reproductive toxicity

[Product]

Category 1B, May damage fertility or the unborn child

[Data for components of the product]

[Table 3 of Annex VI to the CLP Regulations]

(1-Methyl-2-pyrrolidinone)

Category 1B

## Specific target organ toxicity (STOT)

## STOT-single exposure

[Data for components of the product]

[Table 3 of Annex VI to the CLP Regulations]

(Heptane)

Category 3 (Narcotic effects)

(1-Methyl-2-pyrrolidinone)

Category 3 (Respiratory tract irritation)

STOT-repeated exposure data is not available.

## Aspiration hazard

[Data for components of the product]

[Table 3 of Annex VI to the CLP Regulations]

(Heptane)

Category 1

## Section 12. Ecological Information

## Toxicity

## Aquatic toxicity

[Product]

Category 2, Toxic to aquatic life

Category 2, Toxic to aquatic life with long lasting effects

[Data for components of the product]

Hazardous to the aquatic environment, short-term (acute)

[Table 3 of Annex VI to the CLP Regulations]

(Heptane)

Category 1

Hazardous to the aquatic environment, long-term (chronic)

[Table 3 of Annex VI to the CLP Regulations]

(Heptane)

Category 1

## Water solubility

(Ethyl alcohol)

miscible (source: ICSC, 2018)

(Propellant Gas: Butane)

0.0061 g/100 mL (20°C) (source: ICSC, 2003)

(Propellant Gas: Propane)

0.007 g/100 mL (20°C) (source: ICSC, 2003)

(Heptane)

2.2 mg/L (25°C) (source: ICSC, 2015)

(Inorganic powder A)

0.01 g/100 mL (20°C) (source: ICSC, 2010)

(1-Methyl-2-pyrrolidinone)

not poorly water-soluble (100000 mg/L) (source: NITE)

## Persistence and degradability

[Data for components of the product]

(Ethyl alcohol)

Rapidly degradable (Degradation rate: 89% (by BOD)) (source: NITE)

(Heptane)

Rapidly degradable (Degradation rate: 101% (by BOD)) (source: NITE)

(1-Methyl-2-pyrrolidinone)

Rapidly degradable (Degradation rate: 73%, 94% (by BOD); 96% (by TOC); 100% (by GC))

(source: NITE)

## Bioaccumulative potential

[Data for components of the product]

(Ethyl alcohol)

log Pow: -0.32 (source: ICSC, 2018)

(Propellant Gas: Butane)

log Pow: 2.89 (source: ICSC, 2003)

(Propellant Gas: Propane)

log Pow: 2.36 (source: ICSC, 2003)

(Heptane)

log Pow: 4.66 (source: ICSC, 2015)

(1-Methyl-2-pyrrolidinone)

log Pow: -0.38 (source: ICSC, 2014)

## Mobility in soil

Mobility in soil data is not available.

## Other adverse effects

Ozone depleting chemical data is not available.

## Section 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

## Waste treatment methods

Avoid release to the environment.

Dispose of contents/container in accordance with local/national regulation.

## Contaminated packing

Do not pierce or burn, even after use.

## Section 14. Transport Information

## UN No., UN CLASS

UN Number or ID Number : 1950

UN Proper Shipping Name :

AEROSOLS, flammable

Class or division (Transport hazard class) : 2.1

Packing group : Not applicable

ERG GUIDE No.: 126

## Environmental hazards

MARPOL Annex III – Prevention of pollution by harmful substances

Marine pollutants (yes/no) : yes

## Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

## Other regulatory information

Regulatory information with regard to this substance in your country or in your region should be examined by your own responsibility.

Regulatory information in this section are limited to intentional ingredient(s), but does not contain information on non-intentional ingredients or impurities which are not informed by supplier(s).

## Section 16. Other information

## References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 23rd edit., 2023 UN  
IATA Dangerous Goods Regulations (66th Edition) 2025  
2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT)  
2025 TLVs and BEIs. (ACGIH)  
Supplier's data/information

General Disclaimer

To the best of our knowledge, the information contained here in is accurate. However, we assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of user. All material may present unknown hazards and should be used in caution. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist.

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The GHS classification data given here is based on current EU official data (Consolidated version of the CLP Regulation published in 01/12/2023 and Commission delegated regulation (EU) 2024/197 (ATP21)).