Aerosol type fluorescent magnetic particle solution

Super Magna LY-10 sol

Troublesome preparation of magnetic particle solution is not necessary. Ideal for large products to be tested outdoors, such as large-size cast products and welded structures.



Oil based **Quick-drying** Water based

Highly sensitive fluorescent magnetic particles ensure clear indication of flaws. The density of the magnetic particle solution has been optimized in advance. The airtight container means the magnetic particle density will not change.

> No concerns about rust on the test piece. The dispersing agent has low toxicity and no odor, ensuring a comfortable test environment.

The magnetic particle solution dries immediately after being applied, which facilitates transfer of the flaw indication. Due to its quick-drying property, the liquid will not dribble even when spraved upwards

Purified water is used as the dispersing agent, so foul odors are not generated. The Fire Defense Law does not apply to the dispersing agent and safety is improved.

Type of magnetic particle

	Oil based	Quick-drying	Water based		
Charged gas	LPG	LPG	DME/CO ₂		
Main dispersing agent/flashing point (undiluted solution)	Hydrocarbon solvent/95°C	Hydrocarbon solvent/-4°C	Purified water, nonhazardous substance*2		
Magnetic particle density	2.0g/L	1.5g/L	0.75g/L		
Quantity contained	290g	280g	420g		
Fluorescent factor (cd/W) *1	4.7±10%	4.7±10%	7.6±10%		
Particle size	By laser diffraction scattering type measurement (Volume standard) 10 to 15µm				
Ordinance on the Prevention of Organic Solvent Poisoning	Not applicable				

*1: Evaluation by fluorescent factor (cd/W) Fluorescent factor = Brightness/UV intensity

*2: Though the undiluted solution is nonhazardous, this product is regarded as a hazardous substance during transportation because it is an aerosol

Magnetic dispersant, anti-rust agent, defoaming agent

OWe offer a dispersant to disperse magnetic particles of Super Magna into water, and a dispersant oil to disperse into oil. In addition, use an anti-rust agent and defoaming agent for the dispersant if necessary

Name		Recommended density	Feature	
	BC-1S	0.1 to 0.2%	Adding even a small amount effectively provides dispersibility and defoaming ability to the magnetic particle solution.	
Water-soluble magnetic dispersant	BC-700	1.0 to 2.0%	Ideally, apply after flaw detection.	
	EC-4	0.5%	Friendly to humans and the environment, with superior dispersibility/wettability for magnetic particles. Compatible with Al	
Magnetic particle	SO-220B	-	High flashing point, low odor, no fluorescence Suitable for inspecting smooth surfaces with high viscosity. Compatible with AMS2641.	
dispersing oil	SO-220C	-	High flashing point, low odor, no fluorescence Suitable for rough surfaces with low viscosity. Compatible with AMS2641.	
Water-soluble anti-rusting agent	AR-100K	1.0 to 5.0%	Add a temporary anti-rusting property to the magnetic particle solution.	
Water-soluble defoaming agent	71A	0.1 to 0.2%	Control foaming in the magnetic particle solution.	

The specifications are subject to change for improvement without notice.

Super Magna / Eco Magna

Super Magna/Eco Magna

Optimum for testing ferromagnetic material High-quality and environment-friendly Super Magna/Eco Magna by MARKTEC





Integrated supplier of Non-Destructive Testing and Marking

MARKTEC Corporation www.marktec.co.ip [HEAD OFFICE] 17-35, Omori Nishi 4-chome, Ota-ku, Tokyo, 143-0015, Japan TEL.+81-3-3762-4451 Overseas Sales Dept. TEL.+81-3-3762-4453

Narita Plant TEL +81-476-49-3160



Magnetic particle testing material

Super Magna


The standard for magnetic particle test materials We offer a wide range of products and the optimum plan for the application.





Friendly to living things and the environment. The magnetic particle solution can be easily prepared. User-friendly fluorescent magnetic particle concentrated solution has appeared on the market.

Super Magna



Before testing Example of test result



Fluorescent magnetic particle

Fluorescent magnetic particle offering excellent flaw detection and identification under black light irradiation

High fluorescent brightness enables detection of tiny flaws easily.

Since separation and degradation of the fluorescent material is low, it can be used for a long time. Since a small amount of agent can test a large quantity of specimen, testing cost is reduced. Lineup which meet AMS 3044.

Nonfluorescent magnetic particle

Non-fluorescent magnetic particle that enables testing under visible radiation

The color of the magnetic particle that has good contrast with the surface color of the specimen can be selected. Owing to the special manufacturing method, separation of the coloring pigment hardly occurs. The dry method is also suitable for detecting relatively shallow defects under the surface of the specimen.

Type of magnetic particle


Na	me	Fluorescent or appearance color	Fluorescent factor (cd/W) *1	Particle size (µm) *2	Compliant standard *3	Usage	
	LY-10	Greenish yellow	7.6±10%	10 to 15		Exclusively for water dispersion, general-purpose product	
Fluorescent	LY-20	Greenish yellow	10.1±10%	12 to 21		Exclusively for water dispersion, high brightness, for precision testing of steel material	
magnetic	LY-30	Greenish yellow	reenish yellow 4.9±10% 4.5 to 6.5 AMS304	AMS3044	Exclusively for water dispersion, for ultraprecision testing, aircraft, polished round bar		
	LY-40	Greenish yellow	5.1±10%	8 to 15		Exclusively for water dispersion, general-purpose product	
	LY-50	Yellowish green	4.7±10%	10 to 15		Exclusively for oil dispersion, general-purpose product	
Non- fluorescent magnetic particle WD-55 WD-103Y RD-203 BW-334	White	_	_	AMS3040	Dry type, general-purpose product		
	WD-103Y	White	_	_	—	Dry type, general-purpose product	
	RD-203	Red	_	_	AMS3040	Dry type, general-purpose product	
	BW-334	Black	_	_	_	Wet type, general-purpose product	

*1 Evaluation by fluorescent factor (cd/W) Fluorescent factor = Brightness/UV intensity *2 Particle size (µm): Laser diffraction/scattering type (Volume standard) *3 Meets applicable requirements for : AMS3044, ASTM E1444/E1444M, ASTM E709


Usage instructions



Calculate the necessary amount of magnetic particles and dispersant, weigh them, and place in containers.



magnetic particles, and knead well to form a paste



Add the magnetic particle paste into the tank and stir it

After 5 to 10 minutes, confirm suspension of the magnetic particle solution, and start testing.

Eco Magna



Before testing

Example of test result

Fluorescent magnetic particle concentrated solution

LY-Conc series products which meet for AMS standards. By adding LY-Conc. series agent to water, magnetic particle solution can be easily prepared.


Products which meet AMS3044 and SAE AS4792 standards. *1

- Since two-layer separation hardly occurs and storage stability is good, it can be used immediately after lightly shaking the container.
- Since dispersion stability is good and density fluctuation of the magnetic particle solution is small, only a smaller quantity is needed.
- Because the single liquid concentration type contains the dispersant, test conditions are consistent and stock control is simplified.

Type of magnetic particle

· Ispo of mugnotic puracto					
Name		Fluorescent color	Particle size (µm) *2	Compliant standard *1	Usage
Fluorescent	LY-10 Conc.	Greenish yellow	10 to 15	AMS3044	Exclusively for water dispersion, general-purpose product
magnetic particle		Greenish yellow	12 to 20		Exclusively for water dispersion, high brightness, for precision testing of steel material
concentrated	LY-30 Conc.	Greenish yellow	0.15.10.1700	Exclusively for water dispersion, for ultraprecision testing, polished round bar, etc.	
solution LY-	LY-40 Conc.	Greenish yellow	8 to 15		Exclusively for water dispersion, general-purpose product

*1 Meets applicable requirements for : AMS3044, SAE AS4792, ASTM E1444/E1444M, ASTM E709 *2 Particle size: Laser diffraction/scattering type (Volume standard)





Since the wettability is good and the magnetic particle solution can be uniformly dispersed, inspection accuracy is improved.





After 5 to 10 minutes, confirm suspension of the magnetic particle solution, and start testing.

* If additional agent is to be added, carry out in the same way as shown on the left.

Example of preparing magnetic particle solution (in case of 100L)

Density of magnetic particle solution	0.5g/L	1.0g/L	2.0g/L
Amount of LY-Conc. added	250mL	500mL	1000mL